WEST Search History

Hide Items Restore Clear Cancel

DATE: Thursday, October 12, 2006

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count
	DB=	PGPB, USPT, USOC; EPAB, JPAB, DWPI, TDBD; PLUR=NO; OP=OR	
	L53	(150 or 151) and ((extensible adj 1 markup adj 1 language) or xml)	9
	L52	(150 or L51) and (current adj1 (value or values))	0
	L51	(147 or 148 or 149) and (server near (property adj 1 value))	4
	L50	(147 or 148 or 149) and (server with (property adj1 value))	19
	L49	709/203.ccls.	6954
	L48	707/10.ccls.	6290
	L47	707/1-5.ccls.	15552
	L46	145 and (((extensible adj1 markup adj1 language) or xml) near (map or graph or histogram))	0
	L45	L44 and (current adj1 (value or values))	13
	L44	(server with (property adj1 value))	108
	DB=	PGPB; PLUR=NO; OP=OR	
	L43	L1 and (server near (web adj1 (site\$ or page\$)))	0
	L42	L1 and (server near value\$)	0
\square	L41	L1 and (server with value\$)	0
	L40	L1 and (server with propert\$)	0
	L39	L1 and (server near propert\$)	0
	DB=	USPT; $PLUR=NO$; $OP=OR$	
	L38	L37 and (server near (web adj1 (site\$ or page\$)))	. 6
	L37	(server near side).ti.	39
	L36	(server near side)	4151
	L35	L33 and (server near propert\$)	49
\Box	L34	L33 and (server near value\$)	.49
	L33	microsoft.asn.	5642
	L32	L31 and server.ti.	74
	L31	(server near (web adj 1 page))	734
	L30	((property adj value\$) near server\$)	12
	DB=	PGPB; $PLUR=NO$; $OP=OR$	
	L29	L27 and server.ti.	29
	L28	L1 and server.ti.	0

	L27	(server near propert\$)	271
	L26	L25 and propert\$.ti.	0
	L25	server.ti.	4400
	L24	((property adj l value) with server\$)	63
\square	L23	((property adj l value) near server\$)	7
	L22	(property near value near server\$)	8
	L21	((property adj l value) near sever)	0
\square	L20	(property near value near sever\$)	2
	L19	(property adj l value)	2579
\square	L18	L17 not microsoft	149
	L17	L16 and server\$.ti.	239
Ü	L16	L15 and ((world adj1 wide adj1 web) or www or internet or (web adj1 page\$) or (internet adj1 page\$) or (web adj1 site\$) or (internet adj1 site\$))	2589
	L15	(server with propert\$)	2876
	L14	L13 not microsoft	21
	L13	L12 and ((world adj1 wide adj1 web) or www or internet or (web adj1 page\$) or (internet adj1 page\$) or (web adj1 site\$) or (internet adj1 site\$))	49
	L12	L11 and (client near proper\$)	52
	L11	(server near proper\$)	652
	DB=	USPT; $PLUR=NO$; $OP=OR$	
	L10	L9 and (server near propert\$)	32
	L9	(client near propert\$)	139
	L8	L7 and (server with propert\$)	540
	L7	(client with propert\$)	1137
	L6	(6519764 6463442 6304918).pn.	3
	L5	L4 and client\$.ti.	11
	L4	L1 and server.ti.	45
	L3	L1 and propert\$.ti.	6
	L2	L1 and value.ti.	1
		(6292830 6370569 6413100 5893091 6138142 6442549 6757900 6792607 6938077 6170016 6397253 6480852 5913025 6598060 6658460 6038596	

(6292830 6370569 6413100 5893091 6138142 6442549 6757900 6792607 6938077 6170016 6397253 6480852 5913025 6598060 6658460 6038596 6088805 6189137 5937160 6023726 6026437 6044385 6052716 6055572 6131110 6192383 6243722 6314456 5896533 5941944 6038610 6041355 6101472 6154849 6175863 6178460 6209003 6209027 6237030 6253228 6334145 6393569 6418544 6519646 6799215 6823393 6934740 7003565 6170014 5784562).pn. (6269394 5956716 6006332 6057854 6148401 6199081 6282573 6381698 6549221 6606664 6643691 6812941 7003587 5721779 5842219 6253193 6363488 6389402 6427140 6434535 6789128 6226752 6226752 6418448 5793972 5869819 5892919 5907680 5964836 5992752 6045048 6068188 6073163 6076733 6141010 6152369 6175832 6209018 6229534 6263371 5774660 5812776 5848415 5920856 6078886 6092100

290

```
6096096 6098092 6157.705 6167449).pn. (6182129 6230196 5826267 5847708
          5873077 5878218 5893109 5918013 5961586 5973696 5991808 5996010
          6009459 6038598 6055544 6065058 6070176 6073168 6076104 6104380
          6134680 6141759 6148335 6167409 6178433 6181691 6182127 6182227
          6192380 6205417 6205474 6209029 6209048 6240443 5708780 5745681
          5754830 5778367 5781739 5794230 5796952 5805803 5870544 5877757
          5878223 5878219 5905248 5911043 5933829 5940843).pn. (5987504 5996022
          6008814 6014702 6021426 6023764 6026087 6034689 6035324 6041326
          6055564 6070184 6074299 6092178 6108706 6108656 6112235 6119166
          6122657 6138155 6167523 6185598 6189019 6189103 6195693 6199204
          6202207 6205415 6205416 6209104 6216101 6216101 6233541 6233542
          6233543 6233601 6233618 6236989 6243662 6430618 5737533 5751956
          5761673 5764906 5764916 5768515 5793966 5802530 5838682 5848413).pn.
(5855020 5867665 5867651 5867667 5870562 5870546 5877765 5884035
          5884301 5889951 5890172 5890171 5892908 5893915 5894554 5940074
          5946697 5944793 5956490 5960411 5961594 5974461 5987466 5996015
          6002853 6003087 6003032 6006252 6005563 6011546 6012071 6012086
          6012126 6014692 6023268 6026430 6026440 6035281 6037934 6041360
          6047126 6049342 6058428 6065051 6065046 6064977 6073124 6085193
          6091409 6092196).pn. (6101537 6105021 6108629 6112228 6119153 6119135
          6119078 6122648 6123737 6125363 6128279 6128623 6128627 6134583
          6138150 6141018 6151624 6167453 6173406 6185585 6189030 6192415
          6202023 6202087 6208995 6211871 6212522 6212640 6215483 6220509
          6223178 6226654 6226655 6211871 6212522 6212640 6215483 6220509
          6223178 6226654 6226655 6230319 6240453 6243443 6246758 6247021
          6253188 6253198 6256639 6269370).pn.
```

END OF SEARCH HISTORY



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

server near property near value near client near extensible ma



THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used

Found **46,192** of

server near property near value near client near extensible markup language near map

186,844

Sort results

by Display results title

expanded form

Save results to a Binder

Search Tips

Open results in a new

Try an <u>Advanced Search</u>
Try this search in <u>The ACM Guide</u>

Results 1 - 20 of 200

window
Result page: 1

Result page: 1 2 3 4 5 6 7 8 9 10

Relevance scale

Best 200 shown

1a-Links and Navigation: Fluid annotations in an open world

Polle T. Zellweger, Niels Olof Bouvin, Henning Jehøj, Jock D. Mackinlay September 2001 **Proceedings of the twelfth ACM conference on Hypertext and Hypermedia**

Publisher: ACM Press

Full text available: 📆 pdf(279.57 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

Fluid Documents use animated typographical changes to provide a novel and appealing user experience for hypertext browsing and for viewing document annotations in context. This paper describes an effort to broaden the utility of Fluid Documents by using the open hypermedia Arakne Environment to layer fluid annotations and links on top of arbitrary HTML pages on the World Wide Web. Changes to both Fluid Documents and Arakne are required.

Keywords: Arakne, fluid documents, open hypermedia, web augmentation with open hypermedia

² A compressed accessibility map for XML

Ting Yu, Divesh Srivastava, Laks V. S. Lakshmanan, H. V. Jagadish

June 2004 ACM Transactions on Database Systems (TODS), Volume 29 Issue 2

Publisher: ACM Press

Full text available: <u>hodf(528.00 KB)</u> Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>index terms</u>

XML is the undisputed standard for data representation and exchange. As companies transact business over the Internet, letting authorized customers directly access, and even modify, XML data offers many advantages in terms of cost, accuracy, and timeliness. Given the complex business relationships between companies, and the sensitive nature of information, access must be provided selectively, using sophisticated access control specifications. Using the specification directly to determine if a us ...

Keywords: Access control, XML, structural locality

10/661,193

A conceptual framework for network and client adaptation

B. Badrinath, Armando Fox, Leonard Kleinrock, Gerald Popek, Peter Reiher, M. Satyanarayanan

December 2000 Mobile Networks and Applications, Volume 5 Issue 4

Publisher: Kluwer Academic Publishers

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(218,24 KB) . terms

Modern networks are extremely complex, varying both statically and dynamically. This complexity and dynamism are greatly increased when the network contains mobile elements. A number of researchers have proposed solutions to these problems based on dynamic adaptation to changing network conditions and application requirements. This paper summarizes the results of several such projects and extracts several important general lessons learned about adapting data flows over difficult network condi ...

A cost-effective, high-bandwidth storage architecture

Garth A. Gibson, David F. Nagle, Khalil Amiri, Jeff Butler, Fay W. Chang, Howard Gobioff, Charles Hardin, Erik Riedel, David Rochberg, Jim Zelenka

October 1998 ACM SIGOPS Operating Systems Review, ACM SIGPLAN Notices, Proceedings of the eighth international conference on Architectural support for programming languages and operating systems ASPLOS-

VIII, Volume 32, 33 Issue 5, 11

Publisher: ACM Press

Full text available: 7 odf(1.67 MB)

Additional Information: full citation, abstract, references, citings, index

This paper describes the Network-Attached Secure Disk (NASD) storage architecture, prototype implementations of NASD drives, array management for our architecture, and three, filesystems built on our prototype. NASD provides scalable storage bandwidth without the cost of servers used primarily, for transferring data from peripheral networks (e.g. SCSI) to client networks (e.g. ethernet). Increasing datuset sizes, new attachment technologies, the convergence of peripheral and interprocessor switc ...

A dynamic view-oriented group communication service

Roberto De Prisco, Alan Fekete, Nancy Lynch, Alex Shvartsman

June 1998 Proceedings of the seventeenth annual ACM symposium on Principles of distributed computing

Publisher: ACM Press

Full text available: pdf(3.91 MB)

Additional Information: full citation, references, citings, index terms

A framework for call graph construction algorithms

David Grove, Craig Chambers

November 2001 ACM Transactions on Programming Languages and Systems (TOPLAS), Volume 23 Issue 6

Publisher: ACM Press

Full text available: Todf(1.36 MB)

Additional Information: full citation, abstract, references, citings, index

A large number of call graph construction algorithms for object-oriented and functional languages have been proposed, each embodying different tradeoffs between analysis cost and call graph precision. In this article we present a unifying framework for understanding call graph construction algorithms and an empirical comparison of a representative set of algorithms. We first present a general parameterized algorithm that encompasses many well-known and novel call graph construction algorithms. W ...

Keywords: Call graph construction, control flow analysis, interprocedural analysis

7 A general purpose proxy filtering mechanism applied to the mobile environment Bruce Zenel

October 1999 Wireless Networks, Volume 5 Issue 5

Publisher: Kluwer Academic Publishers

Full text available: pdf(385.25 KB) Additional Information: full citation, references, citings, index terms

A practical flow-sensitive and context-sensitive C and C++ memory leak detector



David L. Heine, Monica S. Lam

May 2003 ACM SIGPLAN Notices, Proceedings of the ACM SIGPLAN 2003 conference on Programming language design and implementation PLDI '03, Volume 38 Issue 5

Publisher: ACM Press

Full text available: 7 pdf(214,44 KB)

Additional Information: full citation, abstract, references, citings, index terms

This paper presents a static analysis tool that can automatically find memory leaks and deletions of dangling pointers in large C and C++ applications. We have developed a type system to formalize a practical ownership model of memory management. In this model, every object is pointed to by one and only one owning pointer, which holds the exclusive right and obligation to either delete the object or to transfer the right to another owning pointer. In addition, a pointer-typed class member ...

Keywords: error detection, memory leaks, memory management, program analysis, type systems

A security architecture for fault-tolerant systems



Michael K. Reiter, Kenneth P. Birman, Robbert van Renesse

November 1994 ACM Transactions on Computer Systems (TOCS), Volume 12 Issue 4

Publisher: ACM Press


Full text available: R pdf(2.50 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

Process groups are a common abstraction for fault-tolerant computing in distributed systems. We present a security architecture that extends the process group into a security abstraction. Integral parts of this architecture are services that securely and fault tolerantly support cryptographic key distribution. Using replication only when necessary, and introducing novel replication techniques when it was necessary, we have constructed these services both to be easily defensible against atta ...

Keywords: key distribution, multicast, process groups

10 A service management framework for M-commerce applications



June 2002 Mobile Networks and Applications, Volume 7 Issue 3

Publisher: Kluwer Academic Publishers

Full text available: nodf(650.12 KB)

Additional Information: full citation, abstract, references, citings, index terms

Mobile commerce (m-commerce) refers to an ability to conduct wireless commerce transactions using mobile applications in mobile devices. M-commerce applications can range from as simple as an address book synchronization to as complicated as credit card transactions. M-commerce is expected to grow dramatically in the near future supporting simple to complex commerce transactions. Even though the Wireless Application Protocol (WAP) is designed to facilitate the development of wireless application ...

Keywords: JINI, WAP, m-commerce, management, mobile devices

11 A software engineering perspective on algorithmics

Karsten Weihe

March 2001 ACM Computing Surveys (CSUR), Volume 33 Issue 1

Publisher: ACM Press

Full text available: pdf(1,62 MB)

Additional Information: full citation, abstract, references, index terms, review

An algorithm component is an implementation of an algorithm which is not intended to be a stand-alone module, but to perform a specific task within a large software package or even within several distinct software packages. Therefore, the design of algorithm components must also incorporate software-engineering aspects. A key design goal is adaptability. This goal is important for maintenance throughout a project, prototypical development, and reuse in new, unforseen contex ...

Keywords: algorithm engineering

12 A structural view of the Cedar programming environment

Daniel C. Swinehart, Polle T. Zellweger, Richard J. Beach, Robert B. Hagmann August 1986 ACM Transactions on Programming Languages and Systems (TOPLAS), Volume 8 Issue 4

Publisher: ACM Press

Full text available: 7 pdf(6.32 MB)

Additional Information: full citation, abstract, references, citings, index terms

This paper presents an overview of the Cedar programming environment, focusing on its overall structure—that is, the major components of Cedar and the way they are organized. Cedar supports the development of programs written in a single programming language, also called Cedar. Its primary purpose is to increase the productivity of programmers whose activities include experimental programming and the development of prototype software systems for a high-performance personal computer. T ...

13 A survey and analysis of Electronic Healthcare Record standards

Marco Eichelberg, Thomas Aden, Jörg Riesmeier, Asuman Dogac, Gokce B. Laleci December 2005 ACM Computing Surveys (CSUR), Volume 37 Issue 4

Publisher: ACM Press

Full text available: (644.11 KB) Additional Information: full citation, abstract, references, index terms

Medical information systems today store clinical information about patients in all kinds of proprietary formats. To address the resulting interoperability problems, several Electronic Healthcare Record standards that structure the clinical content for the purpose of exchange are currently under development. In this article, we present a survey of the most relevant Electronic Healthcare Record standards, examine the level of interoperability they provide, and assess their functionality in terms o ...

Keywords: Electronic Healthcare Record standards, eHealth, interoperability

14 A survey of structured and object-oriented software specification methods and techniques





Roel Wieringa

December 1998 ACM Computing Surveys (CSUR), Volume 30 Issue 4

Publisher: ACM Press

Full text available: ndf(605.28 KB)

Additional Information: full citation, abstract, references, citings, index terms, review

This article surveys techniques used in structured and object-oriented software specification methods. The techniques are classified as techniques for the specification of external interaction and internal decomposition. The external specification techniques are further subdivided into techniques for the specification of functions, behavior, and communication. After surveying the techniques, we summarize the way they are used in structured and object-oriented methods and indicate ways in w ...

Keywords: languages

15 A taxonomy of Data Grids for distributed data sharing, management, and processing



Srikumar Venugopal, Rajkumar Buyya, Kotagiri Ramamohanarao June 2006 ACM Computing Surveys (CSUR), Volume 38 Issue 1

Publisher: ACM Press

Full text available: ndf(1.70 MB)

Additional Information: full citation, abstract, references, index terms

Data Grids have been adopted as the next generation platform by many scientific communities that need to share, access, transport, process, and manage large data collections distributed worldwide. They combine high-end computing technologies with high-performance networking and wide-area storage management techniques. In this article, we discuss the key concepts behind Data Grids and compare them with other data sharing and distribution paradigms such as content delivery networks, peer-to-peer n ...

Keywords: Grid computing, data-intensive applications, replica management, virtual organizations

16 A tour through cedar

Warren Teitelman

March 1984 Proceedings of the 7th international conference on Software engineering

Publisher: IEEE Press

Full text available: 10 atf(2.98 MB) Additional Information: full citation, references, citings, index terms

17 Active Proxy-G: optimizing the query execution process in the grid

Henrique Andrade, Tahsin Kurc, Alan Sussman, Joel Saltz

November 2002 Proceedings of the 2002 ACM/IEEE conference on Supercomputing

Publisher: IEEE Computer Society Press

Full text available: 📆 pdf(247,81 KB) Additional Information: full citation, abstract, references, index terms

The Grid environment facilitates collaborative work and allows many users to query and process data over geographically dispersed data repositories. Over the past several years, there has been a growing interest in developing applications that interactively analyze datasets, potentially in a collaborative setting. We describe the Active Proxy-G service that is able to cache query results, use those results for answering new incoming queries, generate subqueries for the parts of a query that cann ...

18 Adaptation to users: Interactive learning of structural shape descriptions from automatically generated near-miss examples





Tracy Hammond, Randall Davis

January 2006 Proceedings of the 11th international conference on Intelligent user interfaces IUI '06


Publisher: ACM Press

Full text available: pdf(438.02 KB) Additional Information: full citation, abstract, references, index terms

Sketch interfaces provide more natural interaction than the traditional mouse and palette tool, but can be time consuming to build if they have to be built anew for each new domain. A shape description language, such as the LADDER language we created, can significantly reduce the time necessary to create a sketch interface by enabling automatic generation of the interface from a domain description. However, structural shape descriptions, whether written by users or created automatically by the c ...

Keywords: active learning, ladder, near-miss, shape description, sketch recognition, structural description, user interfaces

19 Adapting to network and client variability via on-demand dynamic distillation



October 1996 ACM SIGOPS Operating Systems Review , ACM SIGPLAN Notices ,
Proceedings of the seventh international conference on Architectural support for programming languages and operating systems ASPLOS-

VII, Volume 30 , 31 Issue 5 , 9

Publisher: ACM Press

Full text available: 7 odf(1.64 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

The explosive growth of the Internet and the proliferation of smart cellular phones and handheld wireless devices is widening an already large gap between Internet clients. Clients vary in their hardware resources, software sophistication, and quality of connectivity, yet server support for client variation ranges from relatively poor to none at all. In this paper we introduce some design principles that we believe are fundamental to providing "meaningful" Internet access for the entire range of ...

20 Adventures in interoperability: the SML NET experience



Nick Benton, Andrew Kennedy, Claudio V. Russo

August 2004 Proceedings of the 6th ACM SIGPLAN international conference on Principles and practice of declarative programming

Publisher: ACM Press

Full text available: ddf(434.04 KB) Additional Information: full citation, abstract, references, index terms

SML.NET is a compiler for Standard ML that targets the Common Language Runtime and is integrated into the Visual Studio development environment. It supports easy interoperability with other .NET languages via a number of language extensions, which go considerably beyond those of our earlier compiler, MLj.This paper describes the new language extensions and the features of the Visual Studio plugin, including syntax highlighting, Intellisense, continuous type inference and debugger support. We dis ...

Keywords: applications of declarative programming, functional programming, integration of paradigms, programming environments

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Worldows Media Player Real Player

search

Dielog	DataS	tar			
options	logaff	feedback	help		3000(2); ****
·					
	· .			dvanced Search:	
			Insį	pec - 1898 to date (INZZ)	
				limat .	


Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	server NEAR property	unrestricted	33	show titles
2	INZZ	1 AND (client\$ OR consumer\$ OR user\$ OR customer\$)	unrestricted	18	show titles
3	INZZ	2 AND extensible ADJ markup ADJ language	unrestricted	0	-
4	INZZ	2 AND map	unrestricted	0	-
5	INZZ	2 AND web ADJ adj1 ADJ browser\$	unrestricted	0	-
6	INZZ	2 AND web	unrestricted	4	show titles

hide | delete all search steps... | delete individual search steps...


Enter your search term(s): <u>Search tips</u> Thesaurus mapping	
· whole document	Y (
Information added since: or: none (YYYYMMDD)	***
Documents with images	
Select special search terms from the following list(s):	
Publication year 1950-	
Publication year 1898-1949	
Inspec thesaurus - browse headings A-G	
Inspec thesaurus - browse headings H-Q	
Inspec thesaurus - browse headings R-Z	
Inspec thesaurus - enter a term	
Classification codes A: Physics, 0-1	
Classification codes A: Physics, 2-3	

10/66/192



Document

Select the documents you wish to <u>save</u> or <u>order</u> by clicking the box next to the document, or click the link above the document to order directly.



- Select All
- 1 Robust and simple authentication protocol for secure communication on the Web.
- 2 A Web-based trial execution system for software components.
- 3 Bilateral anonymity and prevention of abusing logged Web addresses.
- 4 Securing the anonymity of content providers in the World Wide Web.

document 1 of 4 Order Document

Inspec - 1898 to date (INZZ)

Accession number & update

0008651482 20051120.

Title

Robust and simple authentication protocol for secure communication on the Web.

Conference information

Web Engineering. 5th International Conference, ICWE 2005. Proceedings, Sydney, NSW, Australia, 27-29 July 2005.

Source

Web Engineering. 5th International Conference, ICWE 2005. Proceedings (Lecture Notes in Computer Science Vol.3579), 2005, p. 352-62, 11 refs, pp. xxii+633, ISBN: 3-540-27996-2. Publisher: Springer-Verlag, Berlin, Germany.

Author(s)

Eun-Jun-Yoon, Woo-Hun-Kim, Kee-Young-Yoo.

Editor(s): Lowe-D, Gaedke-M.

Author affiliation

Eun-Jun Yoon, Dept. of Comput. Eng., Kyungpook Nat. Univ., Daegu, South Korea.

Abstract

User authentication is an important part of security, along with confidentiality and integrity, for systems that allow remote access over untrustworthy networks, such as the Internet **Web** environment. In 2005, Chien-Wang-Yang (CWY) pointed out that Chien-Jan's ROSI protocol required state synchronization between the **client** and the **server**, and then its state-synchronization **property** was vulnerable to the denial of service (DoS) attack. Furthermore, they proposed an improved protocol that conquered the weaknesses and extended its key agreement functions, and improved the **server's** performance. Nevertheless, CWY's improved ROSI protocol does not provide perfect forward secrecy and is vulnerable to a Denning-Sacco attack. Accordingly, the current paper demonstrates that CWY's protocol does not provide perfect forward secrecy and is susceptible to a Denning-Sacco attack. We then present an enhanced protocol to isolate such problems.

Descriptors

CLIENT-SERVER-SYSTEMS; SCRYPTOGRAPHY; DATA-INTEGRITY; DATA-PRIVACY; INTERNET; MESSAGE-AUTHENTICATION; DROTOCOLS.

Classification codes

C7210N Information-networks*;

C6150N Distributed-systems-software;

C6130S Data-security.

Keywords

user-authentication-protocol; secure-communication; World-Wide-Web; security; data-confidentiality; data-integrity; remote-access; untrustworthy-networks; Internet-Web-environment; ROSI-protocol; state-synchronization; client-server-system; denial-of-service-attack; DoS-attack; key-agreement-function; forward-secrecy; Denning-Sacco-attack; cryptography; smart-card; key-establishment.

Treatment codes

P Practical.

Language

English.

Publication type

Conference-proceedings.

Publication year

2005.

Publication date

20050000.

Edition

2005046.

Copyright statement

Copyright 2005 IEE.

(c) The Institution of Engineering & Technology

9310

openuri

document 2 of 4 Order Document

Inspec - 1898 to date (INZZ)

Accession number & update

0008535120 20051201.

Title

A Web-based trial execution system for software components.

Source

WSEAS Transactions on Computers, {WSEAS-Trans-Comput-Greece}, March 2005, vol. 4, no. 3, p. 319-26, 21 refs, ISSN: 1109-2750.

Publisher: WSEAS, Greece.

Author(s)

Washizaki-H, Motomura-M, Fukazawa-F.

Author affiliation

Washizaki, H., Res. Center for Testbeds & Prototyping, National Inst. of Informatics, Tokyo, Japan.

Abstract

The reuse of software components is a key to realize the component-based development. When application programmers want to reuse software components provided by third parties on the Internet, static specification documents attached to components are insufficient as information regarding the behavioral features of components. In this paper, we propose a new system that enables the trial execution of components over the Internet from a remote site. Our system instantiates components on the server, and provides the **Web** browser with readable **property** values and graphical **user** interface images of components whenever methods of components are invoked by input argument values. As a result of comparative evaluation, it is found that the usefulness of our system is greater than those of conventional techniques.

Descriptors

🇠 INTERNET; 🌕 OBJECT-ORIENTED-PROGRAMMING; 🤲 SOFTWARE-RELIABILITY.

Classification codes

C6110B Software-engineering-techniques*;

C6110J Object-oriented-programming;

C7210N Information-networks.

Keywords

Web-based-trial-execution-system; software-component-reuse; component- based-development; Internet; static-specification-documents; **Web-** browser; **readable-property-values**; **graphical-user-interface**.

Treatment codes

P. Practical.

Language

English.

Publication type

Journal-paper.

Availability

SICI: 1109-2750(200503)4:3L.319:BTES; 1-J.

Publication year

2005.

Publication date

20050300.

Edition

2005033.

Copyright statement

Copyright 2005 IEE.

(c) The Institution of Engineering & Technology

document 3 of 4 Order Document

Inspec - 1898 to date (INZZ)

Accession number & update

0007022928 20051201.

Title

Bilateral anonymity and prevention of abusing logged Web addresses.

Conference information

Proceedings of IEEE Military Communications Conference (MILCOM'00), Los Angeles, CA, USA, 22-25 Oct. 2000.

Sponsor(s): IEEE Commun. Soc; Armed Forces Commun. & Electron. Assoc. (AFCEA).

Source

MILCOM 2000 Proceedings. 21st Century Military Communications. Architectures and Technologies for Information Superiority (Cat. No.00CH37155), 2000, vol.1, p. 435-9 vol.1, 11 refs, pp. 2 vol. xxvii +1238, ISBN: 0-7803-6521-6.

Publisher: IEEE, Piscataway, NJ, USA.

Author(s)

Demuth-T, Rieke-A.

Author affiliation

Demuth, T., Dept. of Commun. Syst., Hagen Univ., Germany.

Abstract

A lot of effort has been taken to hide the content of a message from eavesdroppers. However, often not only the content, but also the address and identity of sender and/or receiver of the message are of interest for attackers. For that reason, several approaches were developed to guarantee anonymity in the case of email. A lot of services offer users to access Web pages unrecognised or without the risk of being backtracked, respectively. This kind of anonymity is called user or "client anonymity". However, there are only a few offers that provide an equivalent protection for content providers, although this feature is desirable for many situations in which the identity of a publisher or content provider is to be hidden. This property is called server anonymity. The term "server anonymity is explained in detail with the help of an existing system fulfilling some hundreds of thousand user

requests per day. We also describe our experiences in providing such a system with respect to misuse. Furthermore there is another sensitive fact. While browsing **Web** pages, the used URLs are logged both by the **Web client (Web** browser) which is used and the Internet service provider (ISP), or any other instance or organisation that is involved in the communication. Hence the ISP can investigate the content a user is interested in afterwards simply by reusing the logged URLs. The same problem results from the behaviour of regular **Web** browsers to build an address history and local copies (browser cache) of the visited **Web** pages. We demonstrate a way of preventing the reuse of logged **Web** addresses by introducing the concept of temporarily valid **Web** addresses.

Descriptors

- FILE-SERVERS; INFORMATION-RESOURCES; INTERNET; ONLINE-FRONT-ENDS;
- SECURITY-OF-DATA; TELECOMMUNICATION-SECURITY.

Classification codes

B6210L Computer-communications*;

C5620W Other-computer-networks*;

C7210N Information-networks;

C7250N Search-engines;

C6130S Data-security;

C5630 Networking-equipment.

Keywords

bilateral-anonymity; logged-Web-address-abuse-prevention; e-mail; Web- pages; client-anonymity; content-providers; server-anonymity; Web- browser; Internet-service-provider; ISP; URL; address-history; logged- Web-address; temporarily-valid-Web-address; World-Wide-Web; WWW; data- security.

Treatment codes

T Theoretical-or-mathematical.

Language

English.

Publication type

Conference-proceedings.

Availability

CCCC: 0 7803 6521 6/2000/\$10.00.

Digital object identifier

10.1109/MILCOM.2000.904990.

Publication year

2000.

Publication date

20000000.


Edition

2001034.

Copyright statement

Copyright 2001 IEE.

(c) The Institution of Engineering & Technology



LSP10 full Test Retrieval Options

open uif

document 4 of 4 Order Document

Inspec - 1898 to date (INZZ)

Accession number & update

0006404824 20051201.

Title

Securing the anonymity of content providers in the World Wide Web.

Conference information

Security and Watermarking of Multimedia Contents, San Jose, CA, USA, 25-27 Jan. 1999.

Sponsor(s): IS&T; SPIE.

Source

Proceedings of the SPIE - The International Society for Optical Engineering, {Proc-SPIE-Int-Soc-Opt-Eng-USA}, 1999, vol. 3657, p. 494-502, 6 refs, CODEN: PSISDG, ISSN: 0277-786X. Publisher: SPIE-Int. Soc. Opt. Eng, USA.

Author(s)

Demuth-T, Rieke-A.

Author affiliation

Demuth, T., Rieke, A., Dept. of Commun. Syst., Fern Univ., Hagen.

Abstract

Nowadays, the World Wide Web (WWW) is an established service used by people all over the world. Most of them do not recognize the fact that they reveal plenty of information about themselves or their affiliations and computer equipment to the providers of the Web pages they connect to. As a result, a lot of services offer users access to Web pages without being recognized or without the risk of being backtracked. This kind of anonymity is called user or client anonymity. On the other hand, an equivalent protection for content providers does not exist, although this feature is desirable for many situations in which the identity of a publisher or content provider should be hidden. We call this property "server anonymity'. We introduce a system with the primary goal of offering anonymity for WWW information providers. Besides this property, the system also provides client anonymity. Based on D.L. Chaum's (1981) idea of mixes, and in relation to the context of the WWW, we explain the term "server anonymity', using as an example the system JANUS ("Justly Anonymizing Numerous URLs Systematically'), which offers both client and server anonymity.

Descriptors

CLIENT-SERVER-SYSTEMS; S CRYPTOGRAPHY; DATA-PRIVACY; ELECTRONIC-PUBLISHING; INFORMATION-RESOURCES.

Classification codes

C7230 Publishing-and-reproduction*;

C7210N Information-networks;

C6130S Data-security;

C6150N Distributed-systems-software.

content-provider-anonymity; World-Wide-Web; backtracking; user- anonymity; client-anonymity; hidden-publisher-identity; server- anonymity; information-providers; mixes; JANUS-system; encryption; URL; Uniform-Resource-Locator; data-privacy.

Treatment codes

P Practical.

Language

English.

Publication type

Conference-proceedings; Journal-paper.

Availability

SICI: 0277-786X(1999)3657L.494:SACP; 1-R.

CCCC: 0277-786X/99/\$10.00.

Publication year

1999.

Publication date

19990000.

Edition

1999045.

Copyright statement

Copyright 1999 IEE.

(c) The Institution of Engineering & Technology



search strategy: do not include the search strategy

Top - News & FAQS - Dialog

© **2006** Dialog